

Fiche produit relative aux qualités et caractéristiques environnementales

voitures, camionnettes, véhicules à 2, 3, 4 roues

Numéro de référence du produit	Nom du produit	Marque	Incorporation de matière recyclée	Présence de métaux précieux	Présence de terres rares	Présence de substances dangereuses - contient une/des substance(s) extrêmement préoccupante(s) :	Recyclabilité	Date de l'information
SBB***	Caddy 5	Volkswagen Commercial Vehicles	Contient au moins 26,8 % de matière recyclée	Contient au moins 12682 milligrammes de métaux précieux	Contient au moins 19703 milligrammes de terres rares	Cadmium Melamine Phenol, dimethyl-, phosphate (3:1) Diboron-trioxide Lead-monoxide 4,4 -Isopropylidenediphenol TBBA Dioctyltin dilaurate Lead-titanium-trioxide Imidazolidine-2-thione Dicyclohexyl-phthalate 2,4-Di-tert-butyl-6-(5-chlorobenzotriazol-2-yl)phenol 2-Methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one C,C -azodi(formamide) Octamethylcyclotetrasiloxane 1,2-Dimethoxyethane Cyclohexane-1,2-dicarboxylic anhydride Cobalt-sulfate-heptahydrate Alkanes, C14-17, chloro 2-(2H-Benzotriazol-2-yl)-4,6-ditertpentylphenol Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide Decamethylcyclopentasiloxane Boric acid Lead titanium zirconium oxide 1,3,5-Tris(oxiranylmethyl)-1,3,5-triazine-2,4,6(1H,3H,5H)-trione N,N-Dimethylacetamide Dodecamethylcyclohexasiloxane Nonylphenol N,N-Dimethylformamide Bis(2-(2-methoxyethoxy)ethyl)ether 1-Butanesulfonic acid, 1,1,2,2,3,3,4,4,4-nonafluoro-, potassium salt (1:1) Cobalt-dichloride 4-(1,1,3,3-Tetramethylbutyl)phenol 4,4 -Sulfonyldiphenol Octanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluoro- 2-Methylimidazole Benzene-1,2,4-tricarboxylic acid 1,2-anhydride Tris(nonylphenyl)phosphite	En attente de transmission de la méthodologie par l'éco-organisme	19/12/2023

<p>SBA***</p>	<p>Caddy 5 Cargo</p>	<p>Volkswagen Commercial Vehicles</p>	<p>Contient au moins 29 % de matière recyclée</p>	<p>Contient au moins 7522 milligrammes de métaux précieux</p>	<p>Contient au moins 15925 milligrammes de terres rares</p>	<p>Cadmium Lead-monoxide Diboron-trioxide 4,4 -Isopropylidenediphenol Diocetyl tin dilaurate Lead-titanium-trioxide Melamine Dicyclohexyl-phthalate TBBA 2-Methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one C,C -azodi(formamide) Imidazolidine-2-thione Cyclohexane-1,2-dicarboxylic anhydride Cobalt-sulfate-heptahydrate Bis(4-chlorophenyl) sulfon N,N-Dimethylacetamide Dodecamethylcyclohexasiloxane 1,2-Dimethoxyethane Alkanes, C14-17, chloro 2-(2H-Benzotriazol-2-yl)-4,6-ditertpentylphenol Phenol, dimethyl-, phosphate (3:1) Boric acid Lead titanium zirconium oxide 1,3,5-Tris(oxiranylmethyl)-1,3,5-triazine-2,4,6(1H,3H,5H)-trione Decamethylcyclopentasiloxane Nonylphenol N,N-Dimethylformamide Bis(2-(2-methoxyethoxy)ethyl)ether 1-Butanesulfonic acid, 1,1,2,2,3,3,4,4,4,4-nonafluoro-, potassium salt (1:1) Cobalt-dichloride 4-(1,1,3,3-Tetramethylbutyl)phenol 4,4 -Sulfonyldiphenol Octanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluoro- 6,6 -Di-tert-butyl-2,2 -methylenedi-p-cresol 2-Methylimidazole Benzene-1,2,4-tricarboxylic acid 1,2-anhydride Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide Tris(nonylphenyl)phosphite</p>	<p>En attente de transmission de la méthodologie par l'éco-organisme</p>	<p>19/12/2023</p>
---------------	----------------------	--	---	---	---	--	--	-------------------

<p>SBJ***</p>	<p>Caddy 5 Maxi</p>	<p>Volkswagen Commercial Vehicles</p>	<p>En cours d'analyse</p>	<p>Contient au moins 12682 milligrammes de métaux précieux</p>	<p>Contient au moins 19703 milligrammes de terres rares</p>	<p>Cadmium Melamine Phenol, dimethyl-, phosphate (3:1) Diboron-trioxide Lead-monoxide 4,4 -Isopropylidenediphenol TBBA Diocetyl tin dilaurate Lead-titanium-trioxide Imidazolidine-2-thione Dicyclohexyl-phthalate 2,4-Di-tert-butyl-6-(5-chlorobenzotriazol-2-yl)phenol 2-Methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one C,C -azodi(formamide) Octamethylcyclotetrasiloxane 1,2-Dimethoxyethane Cyclohexane-1,2-dicarboxylic anhydride Cobalt-sulfate-heptahydrate Alkanes, C14-17, chloro 2-(2H-Benzotriazol-2-yl)-4,6-ditertpentylphenol Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide Decamethylcyclopentasiloxane Boric acid Lead titanium zirconium oxide 1,3,5-Tris(oxiranylmethyl)-1,3,5-triazine-2,4,6(1H,3H,5H)-trione N,N-Dimethylacetamide Dodecamethylcyclohexasiloxane Nonylphenol N,N-Dimethylformamide Bis(2-(2-methoxyethoxy)ethyl)ether 1-Butanesulfonic acid, 1,1,2,2,3,3,4,4,4-nonafluoro-, potassium salt (1:1) Cobalt-dichloride 4-(1,1,3,3-Tetramethylbutyl)phenol 4,4 -Sulfonyldiphenol Octanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluoro- 2-Methylimidazole Benzene-1,2,4-tricarboxylic acid 1,2-anhydride Tris(nonylphenyl)phosphite</p>	<p>En attente de transmission de la méthodologie par l'éco-organisme</p>	<p>19/12/2023</p>
---------------	---------------------	---	---------------------------	--	---	---	--	-------------------

SBH***	Caddy 5 Maxi Cargo	Volkswagen Commercial Vehicles	En cours d'analyse	Contient au moins 7522 milligrammes de métaux précieux	Contient au moins 15925 milligrammes de terres rares	<p>Cadmium Lead-monoxide Diboron-trioxide 4,4 -Isopropylidenediphenol Diocetyl tin dilaurate Lead-titanium-trioxide Melamine Dicyclohexyl-phthalate TBBA 2-Methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one C,C -azodi(formamide) Imidazolidine-2-thione Cyclohexane-1,2-dicarboxylic anhydride Cobalt-sulfate-heptahydrate Bis(4-chlorophenyl) sulfon N,N-Dimethylacetamide Dodecamethylcyclohexasiloxane 1,2-Dimethoxyethane Alkanes, C14-17, chloro 2-(2H-Benzotriazol-2-yl)-4,6-ditertpentylphenol Phenol, dimethyl-, phosphate (3:1) Boric acid Lead titanium zirconium oxide 1,3,5-Tris(oxiranylmethyl)-1,3,5-triazine-2,4,6(1H,3H,5H)-trione Decamethylcyclopentasiloxane Nonylphenol N,N-Dimethylformamide Bis(2-(2-methoxyethoxy)ethyl)ether 1-Butanesulfonic acid, 1,1,2,2,3,3,4,4,4,4-nonafluoro-, potassium salt (1:1) Cobalt-dichloride 4-(1,1,3,3-Tetramethylbutyl)phenol 4,4 -Sulfonyldiphenol Octanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluoro- 6,6 -Di-tert-butyl-2,2 -methylenedi-p-cresol 2-Methylimidazole Benzene-1,2,4-tricarboxylic acid 1,2-anhydride Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide Tris(nonylphenyl)phosphite</p>	En attente de transmission de la méthodologie par l'éco-organisme	19/12/2023
--------	--------------------	-----------------------------------	--------------------	--	--	--	---	------------

SHA***/SHH***	Transporter 6.1 (L1/L2)	Volkswagen Commercial Vehicles	Contient au moins 29,5 % de matière recyclée	Contient au moins 1568 milligrammes de métaux précieux	Contient au moins 30019 milligrammes de terres rares	<p>Lead Melamine Dodecamethylcyclhexasiloxane Diboron-trioxide Lead-monoxide Decamethylcyclopentasiloxane Octamethylcyclotetrasiloxane Bis(4-chlorophenyl) sulfon N,N-Dimethylacetamide Boric acid 6,6 -Di-tert-butyl-2,2 -methylenedi-p-cresol C,C -azodi(formamide) Anthracene 2-Methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one TBBA Nonoxinol 4,4 -Isopropylidenediphenol 1,6,7,8,9,14,15,16,17,17,18,18- Dodecachloropentacyclo[12.2.1.16,9.02,13.05,10]octadeca-7,15-diene Lead-titanium-trioxide Cyclohexane-1,2-dicarboxylic anhydride Octanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluoro- Imidazolidine-2-thione 2-Benzyl-2-dimethylamino-4-morpholinobutyrophenone 2,4-Di-tert-butyl-6-(5-chlorobenzotriazol-2-yl)phenol 1-Methyl-2-pyrrolidone Cobalt sulphate Paraffin oils, chloro Lead titanium zirconium oxide Dicyclohexyl-phthalate 4-(1,1,3,3-Tetramethylbutyl)phenol Phenol, dimethyl-, phosphate (3:1) 1,2-Dimethoxyethane Alkanes, C14-17, chloro Poly(oxy-1,2-ethanediyl), alpha-(nonylphenyl)-omega-hydroxy-, branched 2-(2H-Benzotriazol-2-yl)-4,6-ditertpentylphenol Benzene-1,2,4-tricarboxylic acid 1,2-anhydride 4-tert-Butylphenol</p>	En attente de transmission de la méthodologie par l'éco-organisme	19/12/2023
---------------	----------------------------	-----------------------------------	--	--	---	--	--	------------

SHB***/SHJ***	Caravelle 6.1 (L1/L2)	Volkswagen Commercial Vehicles	Contient au moins 27,7 % de matière recyclée	Contient au moins 1568 milligrammes de métaux précieux	Contient au moins 30019 milligrammes de terres rares	<p>Lead Melamine Dodecamethylcyclotetrasiloxane Diboron-trioxide Lead-monoxide Decamethylcyclopentasiloxane Octamethylcyclotetrasiloxane Bis(4-chlorophenyl) sulfon N,N-Dimethylacetamide Boric acid 6,6 -Di-tert-butyl-2,2 -methylenedi-p-cresol C,C -azodi(formamide) Anthracene 2-Methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one TBBA Nonoxinol 4,4 -Isopropylidenediphenol 1,6,7,8,9,14,15,16,17,17,18,18- Dodecachloropentacyclo[12.2.1.16,9.02,13.05,10]octadeca-7,15-diene Lead-titanium-trioxide Cyclohexane-1,2-dicarboxylic anhydride Octanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluoro- Imidazolidine-2-thione 2-Benzyl-2-dimethylamino-4-morpholinobutyrophenone 2,4-Di-tert-butyl-6-(5-chlorobenzotriazol-2-yl)phenol 1-Methyl-2-pyrrolidone Cobalt sulphate Paraffin oils, chloro Lead titanium zirconium oxide Dicyclohexyl-phthalate 4-(1,1,3,3-Tetramethylbutyl)phenol Phenol, dimethyl-, phosphate (3:1) 1,2-Dimethoxyethane Alkanes, C14-17, chloro Poly(oxy-1,2-ethanediyl), alpha-(nonylphenyl)-omega-hydroxy-, branched 2-(2H-Benzotriazol-2-yl)-4,6-ditertpentylphenol Benzene-1,2,4-tricarboxylic acid 1,2-anhydride 4-tert-Butylphenol</p>	En attente de transmission de la méthodologie par l'éco-organisme	19/12/2023
---------------	-----------------------	-----------------------------------	--	--	---	--	--	------------

<p>SHC***</p>	<p>California 6.1</p>	<p>Volkswagen Commercial Vehicles</p>	<p>En cours d'analyse</p>	<p>Contient au moins 11872 milligrammes de métaux précieux</p>	<p>Contient au moins 6051 milligrammes de terres rares</p>	<p>Lead 4,4 -Isopropylidenediphenol Lead-monoxide Diboron-trioxide Phenol, dimethyl-, phosphate (3:1) Sodium borate, decahydrate Octamethylcyclotetrasiloxane Dodecamethylcyclohexasiloxane Decamethylcyclopentasiloxane C,C -azodi(formamide) 6,6 -Di-tert-butyl-2,2 -methylenedi-p-cresol Nonoxinol Acrylamide Boric acid TBBA 2,4-Di-tert-butyl-6-(5-chlorobenzotriazol-2-yl)phenol Anthracene 2-Methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one N,N-Dimethylacetamide N,N-Dimethylformamide Tris(nonylphenyl)phosphite 1,6,7,8,9,14,15,16,17,17,18,18-Dodecachloropentacyclo[12.2.1.16,9.02,13.05,10]octadeca-7,15-diene Lead-titanium-trioxide Cyclohexane-1,2-dicarboxylic anhydride Octanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluoro- Lead titanium zirconium oxide Imidazolidine-2-thione Di-(2-ethylhexyl)phthalat 1-Methyl-2-pyrrolidone Paraffin oils, chloro Bis(2-(2-methoxyethoxy)ethyl)ether Melamine Dicyclohexyl-phthalate 4-(1,1,3,3-Tetramethylbutyl)phenol 1,3,5-Tris(oxiranylmethyl)-1,3,5-triazine-2,4,6(1H,3H,5H)-trione 2-Methylimidazole Refractory ceramic fibres</p>	<p>En attente de transmission de la méthodologie par l'éco-organisme</p>	<p>19/12/2023</p>
---------------	-----------------------	---	---------------------------	--	--	--	--	-------------------

<p>SY****</p>	<p>Crafter Van</p>	<p>Volkswagen Commercial Vehicles</p>	<p>Contient au moins 27,4 % de matière recyclée</p>	<p>Contient au moins 56912 milligrammes de métaux précieux</p>	<p>Contient au moins 74711 milligrammes de terres rares</p> <p>Cadmium TBBA Lead-monoxide Imidazolidine-2-thione Octamethylcyclotetrasiloxane Decamethylcyclopentasiloxane Poly(oxy-1,2-ethanediyl), alpha-(nonylphenyl)-omega-hydroxy-, branched Diboron-trioxide Boric acid N,N-Dimethylacetamide Dicyclohexyl-phthalate Nonoxinol Lead-titanium-trioxide 2-(2H-Benzotriazol-2-yl)-4,6-ditertpentylphenol 2-Methylimidazole Cobalt chloride Melamine Lead titanium zirconium oxide C,C -azodi(formamide) Glycols, polyethylene, mono((1,1,3,3-tetramethylbutyl)phenyl) ether 6,6 -Di-tert-butyl-2,2 -methylenedi-p-cresol Cobalt(II) nitrate hexahydrate 2-Methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one 1-Methyl-2-pyrrolidone 1,3,5-Tris(oxiranylmethyl)-1,3,5-triazine-2,4,6(1H,3H,5H)-trione N,N-Dimethylformamide 1,2-Dimethoxyethane Cobalt-sulfate-heptahydrate 2-Ethoxyethanol Silicic acid, lead salt 4-(1,1,3,3-Tetramethylbutyl)phenol 2,4-Di-tert-butyl-6-(5-chlorobenzotriazol-2-yl)phenol 4,4 -Isopropylidenediphenol Nonylphenol Bis(2-(2-methoxyethoxy)ethyl)ether Bis(4-chlorophenyl) sulfon Cobalt-dichloride Dodecamethylcyclohexasiloxane</p>	<p>En attente de transmission de la méthodologie par l'éco-organisme</p>	<p>19/12/2023</p>
---------------	--------------------	--	---	--	--	--	-------------------

SZ****	Crafter Châssis	Volkswagen Commercial Vehicles	En cours d'analyse	Contient au moins 12194 milligrammes de métaux précieux	Contient au moins 34527 milligrammes de terres rares	<p>Cadmium 2-Methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one Melamine Lead-monoxide Lead-titanium-trioxide Diboron-trioxide 4,4 -Isopropylidenediphenol TBBA Lead titanium zirconium oxide Decamethylcyclopentasiloxane Octamethylcyclotetrasiloxane Dodecamethylcyclohexasiloxane Bis(4-chlorophenyl) sulfon N,N-Dimethylacetamide Boric acid Imidazolidine-2-thione Dicyclohexyl-phthalate Nonoxinol 2-(2H-Benzotriazol-2-yl)-4,6-ditertpentylphenol Cyclohexane-1,2-dicarboxylic anhydride Di-(2-ethylhexyl)phthalat Cobalt-sulfate-heptahydrate Cobalt chloride 2-Methylimidazole C,C -azodi(formamide) Disodium tetraborate, anhydrous Nonylphenol Cobalt-dichloride 1,6,7,8,9,14,15,16,17,17,18,18-Dodecachloropentacyclo[12.2.1.1.16,9.02,13.05,10]octadeca-7,15-diene 1,3-Propanesultone 1,2-Dimethoxyethane 1-Methyl-2-pyrrolidone 4-(1,1,3,3-Tetramethylbutyl)phenol 6,6 -Di-tert-butyl-2,2 -methylenedi-p-cresol Tris(nonylphenyl)phosphite Octanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluoro-1,3,5-Tris(oxiranylmethyl)-1,3,5-triazine-2,4,6(1H,3H,5H)-trione</p>	En attente de transmission de la méthodologie par l'éco-organisme	19/12/2023
--------	-----------------	-----------------------------------	--------------------	---	--	---	---	------------

<p>SC****</p>	<p>Grand California</p>	<p>Volkswagen Commercial Vehicles</p>	<p>En cours d'analyse</p>	<p>Contient au moins 21203 milligrammes de métaux précieux</p>	<p>Contient au moins 36323 milligrammes de terres rares</p>	<p>Cadmium Imidazolidine-2-thione TBBA 1-Methyl-2-pyrrolidone Cobalt-dinitrate N,N-Dimethylformamide Lead-monoxide Nonylphenol Octamethylcyclotetrasiloxane Bis(4-chlorophenyl) sulfon N,N-Dimethylacetamide Nonoxinol 1,2-Dimethoxyethane Lead-titanium-trioxide Boric acid 2-(2H-Benzotriazol-2-yl)-4,6-ditertpentylphenol Cyclohexane-1,2-dicarboxylic anhydride Diboron-trioxide Silicic acid, lead salt 2-Benzyl-2-dimethylamino-4-morpholinobutyrophenone Melamine Poly(oxy-1,2-ethanediyl), alpha-(nonylphenyl)-omega-hydroxy-, branched Benzene-1,2,4-tricarboxylic acid 1,2-anhydride Lead titanium zirconium oxide Dicyclohexyl-phthalate 2-Methylimidazole Cobalt-sulfate-heptahydrate Cobalt chloride Cobalt-dichloride C,C -azodi(formamide) 4-Nonylphenol, branched Tris(nonylphenyl)phosphite Disodium tetraborate, anhydrous 6,6 -Di-tert-butyl-2,2 -methylenedi-p-cresol 4,4 -Isopropylidenediphenol 1,3,5-Tris(oxiranylmethyl)-1,3,5-triazine-2,4,6(1H,3H,5H)-trione 2-Methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one Decamethylcyclopentasiloxane</p>	<p>En attente de transmission de la méthodologie par l'éco-organisme</p>	<p>19/12/2023</p>
---------------	-------------------------	---	---------------------------	--	---	--	--	-------------------

<p>EBB***</p>	<p>ID. Buzz</p>	<p>Volkswagen Commercial Vehicles</p>	<p>Contient au moins 19,7 % de matière recyclée</p>	<p>Contient au moins 35384 milligrammes de métaux précieux</p>	<p>Contient au moins 75192 milligrammes de terres rares</p>	<p>Cadmium Lead-monoxide TBBA Diboron-trioxide Melamine Nonylphenol Dodecamethylcyclhexasiloxane Octamethylcyclotetrasiloxane Lead titanium zirconium oxide 2-Methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one Dicyclohexyl-phthalate Phenol, dimethyl-, phosphate (3:1) Imidazolidine-2-thione Lead-titanium-trioxide Cobalt-dinitrate Cobalt-sulfate-heptahydrate 4,4 -Isopropylidenediphenol C,C -azodi(formamide) Decamethylcyclopentasiloxane Hexahydromethylphthalic-anhydride Benzene-1,2,4-tricarboxylic acid 1,2-anhydride Lead(II,IV)-oxide 2-Methylimidazole Cyclohexane-1,2-dicarboxylic anhydride N,N-Dimethylacetamide 2-(2H-Benzotriazol-2-yl)-4,6-ditertpentylphenol 2-Benzyl-2-dimethylamino-4-morpholinobutyrophenone Bis(2-(2-methoxyethoxy)ethyl)ether 1-Methyl-2-pyrrolidone Boric acid Nonoxinol 1,2-Dimethoxyethane 4-(1,1,3,3-Tetramethylbutyl)phenol Cobalt(II) nitrate hexahydrate Sodium borate, decahydrate 6,6 -Di-tert-butyl-2,2 -methylenedi-p-cresol Tris(nonylphenyl)phosphite Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide</p>	<p>En attente de transmission de la méthodologie par l'éco-organisme</p>	<p>19/12/2023</p>
---------------	-----------------	--	---	--	---	---	--	-------------------

<p>EBA***</p>	<p>ID. Buzz Cargo</p>	<p>Volkswagen Commercial Vehicles</p>	<p>Contient au moins 18 % de matière recyclée</p>	<p>Contient au moins 56789 milligrammes de métaux précieux</p>	<p>Contient au moins 125872 milligrammes de terres rares</p>	<p>Lead Lead-monoxide Nonylphenol TBBA Diboron-trioxide Melamine 2-(2H-Benzotriazol-2-yl)-4,6-ditertpentylphenol Dodecamethylcyclohexasiloxane 4,4 -Isopropylidenediphenol Octamethylcyclotetrasiloxane Lead titanium zirconium oxide 2-Methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one Cobalt sulphate Lead-titanium-trioxide 2,4-Di-tert-butyl-6-(5-chlorobenzotriazol-2-yl)phenol Decamethylcyclopentasiloxane Cobalt-sulfate-heptahydrate 4-Nonylphenol, branched Di-(2-ethylhexyl)phthalat Bis(2-(2-methoxyethoxy)ethyl)ether Sodium borate, decahydrate 1,2-Dimethoxyethane 2-Methylimidazole C,C -azodi(formamide) N,N-Dimethylacetamide Dicyclohexyl-phthalate Hexahydromethylphthalic-anhydride Lead(II,IV)-oxide Cyclohexane-1,2-dicarboxylic anhydride 2-Benzyl-2-dimethylamino-4-morpholinobutyrophenone Diocetyl tin dilaurate Nonoxinol 6,6 -Di-tert-butyl-2,2 -methylenedi-p-cresol Benzene-1,2,4-tricarboxylic acid 1,2-anhydride 1,6,7,8,9,14,15,16,17,17,18,18- Dodecachloropentacyclo[12.2.1.16,9.02,13.05,10]octadeca-7,15-diene Phenol, dimethyl-, phosphate (3:1) 1-Methyl-2-pyrrolidone</p>	<p>En attente de transmission de la méthodologie par l'éco-organisme</p>	<p>19/12/2023</p>
---------------	-----------------------	--	---	--	--	---	--	-------------------